



XFRAME™



XFrame Office Product Catalogue

# The XFrame™ System

Today more than 40% of the world's waste is the result of building, construction, renovation, and demolition practices. XFrame™ is a radical response to this global challenge.

Backed by a proprietary technology platform that automates design and manufacturing processes, XFrame™ has been developed as a prefabricated, lightweight engineered timber wall, floor and roof framing system that enables end-of-life recovery and reuse.

XFrame™ is manufactured from sustainably sourced (FSC certified) structural plywood using precise computer controlled milling machines to minimise waste. The finished product is a series of modular parts that are designed to clip together without the need for nails, screws or adhesives.

Using XFrame our goal is to make the deconstruction and reuse of building materials an attractive and economically feasible end-of-life strategy.

XFrame™ Office was developed to address the significant waste generated through office and retail fit outs and refits. It is a series of modular commercial and retail applications that are lightweight, easily assembled and rapidly deployable. Adding to its circular economy credentials, XFrame™ Office uses the same components across the entire range meaning products can be disassembled and reconfigured as needed.



A kit of standard parts.



Made from natural and renewable materials.



Assembled without nails, screws or adhesives.



An engineered structure. Millimetre Perfect.




Scalable and flexible spaces.



Designed for complete circularity.




# XFrame Office Range




## Booths

(All 2100H)




## Cubicles

(1100 - 1600H)



## Meeting Rooms

(All 2100H)



## Partitions

(All 2100H)




Mini (700W x 700L)



Regular (1290W x 1845L)




Two Person Standard  
(1290W x 2390L)




Regular (1050W x 2100H)




Regular (1290W x 1290L)




Long (1290W x 2390L)




Four Person Standard  
(2390W x 2390L)



Double (2100W x 2100H)




Corner (1290W x 1290L)




Double Regular  
(2390W x 1845L)




TeleRectangular  
(1290W x 2390L)



Double Long  
(2390W x 2390L)



TeleSquare  
(1690W x 1690L)




Corner (1190W x 2100H)

L = Length, W = Width, H = Height  
All dimensions in millimeters.

# Mini Booth

A single ultra-compact acoustically controlled space for video calling in open offices. Designed to sit alongside structural elements to improve floor space utilisation. Options to add wheels, clear lids, and join booths into rows for improved efficiency.



Internal Dimensions  
(660L x 760W)



SIDE

Birch Option



Exposed Option



FRONT

With Door Option




Exterior Lining Options (Black, Birch, White, Clear)  
(or exposed frame with internal lining only)



Internal Lining Options (Black, Grey, Neutral)

# Booth

A single acoustically controlled space for video calling in open offices. A generous internal space with a 20% larger internal volume and a worksurface twice the size of similar market solutions, ideal for extended video calls and productivity. Options to add wheels, clear lids, and join booths into rows for improved efficiency.



Internal Dimensions  
(1090W x 1200L)





SIDE

FRONT

Birch Option

Exposed Option

With Door Option




Exterior Lining Options (Black, Birch, White, Clear)  
(or exposed frame with internal lining only)



Internal Lining Options (Black, Grey, Neutral)

# Corner Booth

XFrame™ Corner booth units take advantage of the modular capabilities of XFrame™. Acoustically treated on all sides and with front half panels this is an economical solution. Options to add wheels, clear ceilings, and join booths into rows for improved efficiency.



Internal Dimensions  
(1090W x 1090L)




SIDE

FRONT

Birch Option

Exposed Option

With Door Option



Exterior Lining Options (Black, Birch, White, Clear)  
(or exposed frame with internal lining only)



Internal Lining Options (Black, Grey, Neutral)



# TeleBooth Rectangular

This Rectangular TeleBooth unit is an ideal huddle space for video conferencing with team members. These units are more compact than 2 or 4 person meeting spaces and ideally suited to video conferencing with team members.



Internal Dimensions  
(1090W x 2190L)





FRONT

TOP

Birch Option

Exposed Option

With Transparent Roof Option




Exterior Lining Options (Black, Birch, White, Clear)  
(or exposed frame with internal lining only)




Internal Lining Options (Black, Grey, Neutral)

# TeleBooth Square

The Square TeleBooth is a further adaptation of XFrame's teleconferencing options. It is more spacious internally allowing users more flexibility in how the space is used.



Internal Dimensions  
(1690W x 1690L)



FRONT

TOP

Birch Option

Exposed Option

With Transparent Roof Option




Exterior Lining Options (Black, Birch, White, Clear)  
*(or exposed frame with internal lining only)*



Internal Lining Options (Black, Grey, Neutral)

# Meeting 4 Person


Larger enclosed meeting spaces are possible with the XFrame system. These are ideal for group planning and larger meetings. Units be joined back-to-back, or side-by-side, glazed, lined internally and expanded as required.



Internal Dimensions  
(2190W x 2190L)



*^Option shown with Black Melamine Plywood Linings*



TOP (LEFT)

With Transparent Roof Option




Internal Lining Options (Black, Grey, Neutral)



Exterior Lining Options (Black, Birch, White, Clear)  
(or exposed frame with internal lining only)

# Kit Wall Mobile Single Panel

XFrame Office's kit wall is suitable for use as acoustically treated wall partitions to aid in the control of acoustic and visual privacy. These partitions can be self-installed (DIY) and can be easily reconfigured and/or customized as required. These panels can be fixed or mounted on wheeled feet for greater flexibility. These panels can be connected to form longer sections as required.



Regular (1050W x 2100H)



'Inset' Lining Options (Black, Grey, Neutral)



Exterior Lining Options (Black, Birch, White, Clear)  
(or exposed frame with internal lining only)



XFRAME™



XFrame Office Product Catalogue